Clinical and Experimental Dermatology (1982) 7, 685–693.

Index

SUBJECTS

ACNE VULGARIS:
The treatment of acne with an anti-androgen/oestrogen combination, 593

ACTINIC RETICULOID:
Actinic reticuloid with Sézary cells, 143

ALOPECIA:
Tick bite alopecia, 537

APHTHOUS STOMATITIS:
Serum β_2-microglobulin in recurrent aphthous stomatitis and Behçet's syndrome, 61

ARGON LASER:
The argon laser in dermatology: safety aspects, 247

ARGYRIA:
Generalized argyria with low ceruloplasmin and copper levels in the serum. A case report with clinical and microscopical findings and a trial of penicillamine treatment, 169

ATOPIC DERMATITIS:
Decreased levels of T-cells and cells with suppressor T-cell phenotype as defined by specific monoclonal antibodies in patients with atopic dermatitis, 513

BEHÇET'S SYNDROME:
Serum β_2-microglobulin in recurrent aphthous stomatitis and Behçet's syndrome, 61

BOOK REVIEWS:
A guide to dermatohistopathology, H.PINKUS and A.H.MEHREGAN, 227
Basics of dermatographic surgery, S.J.STEGMAN, T.A.TROMOVITCH and R.C.GLOGAU, 683
Bioengineering and the skin, ed. R.MARKS and P.A.PAYNE, 459
Clinical immunodermatology, M.V.DAHL, 227
Cutaneous aspects of internal disease, J.P.CALLAN, 126
Geriatric dermatology, G.W.KORTING, 343
Lymphoproliferative diseases of the skin, ed. M. GOOS and E.CHRISTOPHERS, 683
Microbiology of human skin, W.C.NOBLE, 126
Monographs on endocrinology, Vol. 19, Hirsutism, P.MAUVAIS-JARVIS, F.KUTTENN and I.MOWSZOWICZ, 227
New trends in allergy, J.RING and J.BURG, 343
Skin microbiology. Relevance to clinical infection, ed. H.I.MAIBACH and R.ALY, 683
The epidermis in disease, ed. R.MARKS and E.CHRISTOPHERS, 343
The nail in health and disease, N.ZAIAS, 127
Viral warts: their biology and treatment, M.H. BUNNEY, 583
Wound healing, T.T.IRVIN, 127

BULLOUS DISORDERS:
The treatment and management of epidermolysis bullosa, 665
The treatment of benign chronic bullous dermatosis of childhood, and dermatitis herpetiformis and bullous pemphigoid beginning in childhood, 653
The treatment of dermatitis herpetiformis, 623
The treatment of pemphigus and pemphigoid, 643

BULLOUS PEMPHIGOID:
Erythema gyratum repens-like figurate eruption in bullous pemphigoid, 401
The treatment of benign chronic bullous dermatosis of childhood, and dermatitis herpetiformis and bullous pemphigoid beginning in childhood, 653

CANDIDOSIS:
The treatment of patients with chronic mucocutaneous candidosis and *Candida* onychomycosis with ketoconzole, 155

CLINICAL MEETINGS OF THE ST JOHN'S HOSPITAL DERMATOLOGICAL SOCIETY:
A child with xeroderma pigmentosum and G6PD deficiency, 213
Cryoglobulinaemia mimicking dermatitis artefacta, 673
Cutaneous lymphomatoid granulomatosis, 449
Familial dyskeratotic comedones, 329
Follicular mucinosis associated with mycosis fungoides presenting with gross cystic changes on the face, 333
Herpes gestationis, 201
Juvenile elastoma and osteopoikilosis (the Buschke–Ollendorf syndrome), 109
Plumbosis cutis: report of an unusual case defined by electron probe microanalysis, 573
Sarcoidosis presenting with hypopigmentation, 115
Subacute cutaneous lupus erythematosus (SCLE): a distinct subset of LE, 209
Wegener's granulomatosis, 103

COLD URTICARIA:
Generalized cold urticaria. Detection of heat-sensitive passive transfer substance active at moderate temperature, 377

CONNECTIVE TISSUE AND VASCULAR DISORDERS:
Erythroderma and its management, 415
Investigation and management of cutaneous arterial insufficiency of the extremities, 429
The management of lupus erythematosus, scleroderma, lichen sclerosus and dermatomyositis, 407
The management of the consequences of chronic venous stasis, 423

CONNECTIVE TISSUE DISEASE:
Mixed immunofluorescence findings in mixed connective tissue disease, 485

CONTACT DERMATITIS:
Adverse reactions to paste bandages, 135
Skin reactions to balsams and perfumes, 1

CORRESPONDENCE:
A cosmetic method of measuring nail growth, hair growth and epidermopoiesis with henna, 223
Lipid profile of dermal nodules in multicentric reticulohistiocytosis: ^{14}C and ^{32}P incorporation, 125
Myeloma-associated sytemic amyloidosis with nail dystrophy, 224
Prayer nodules, 225
UV-A sensitivity due to oxytetracycline, 224
X-linked ichthyosis associated with hypertrophic pyloric stenosis, 341

CRYOGLOBULINAEMIA:
Cryoglobulinaemia mimicking dermatitis artefacta, 673

CRYOSURGERY:
The historical and scientific basis of cryosurgery, 321

CURRENT THERAPEUTIC PROBLEMS:
Generalized pruritus and its management, 557
Ichthyosis and dry skin, 551
Management of the photodermatoses, 565

CUTANEOUS HISTIOCYTIC INFILTRATES:
Immunohistochemical demonstration of lysozyme in cutaneous histiocytic infiltrates, 505

DARIER'S DISEASE:
Pox virus infection in Darier's disease, 261

DELAYED HYPERSENSITIVITY:
Enhancement of delayed hypersensitivity in guinea-pigs to H_2-receptor antagonist, 461

DERMATITIS AND URTICARIA:
Contact sensitization to 2-monomethylol phenol in phenol formaldehyde resin as an example of the recognition and prevention of industrial dermatoses, 285
Investigation and management of chronic urticaria and angio-oedema, 291
New approaches in treatment of physical urticarias, 301
The management of allergic contact dermatitis, 281
The treatment of urticaria pigmentosa, 311

DERMATITIS ARTEFACTA:
Cryoglobulinaemia mimicking dermatitis artefacta, 673

DISEASES OF THE APPENDAGES:
Alopecia and hirsutism, 177
Management of disorders of the nails, 189
Prospects for the treatment of acne vulgaris and rosacea, 195
Treatment of hyperhidrosis, 183

ELECTRON MICROSCOPY:
An ultrastructural study of the mononuclear cell infiltrate of mycosis fungoides and poikiloderma atrophicans vasculare, 11

EOSINOPHILIC FASCIITIS:
Eosinophilic fasciitis with erosive arthritis, 469

ERYTHEMA GYRATUM REPENS:
Erythema gyratum repens-like figurate eruption in bullous pemphigoid, 401

FAMILIAL DYSKERATOTIC COMEDONES, 329

FOCAL DERMAL HYPOPLASIA:
A case of focal dermal hypoplasia, 149

FOLLICULAR MUCINOSIS:
Follicular mucinosis associated with mycosis fungoides presenting with gross cystic changes on the face, 333

FUNGAL INFECTIONS:
Double blind comparison of the efficacy of tioconazole and miconazole for the treatment of fungal infection on the skin or erythrasma, 543
The treatment of fungus and yeast infections of nails by the method of 'chemical removal', 273
Treatment of chronic dermatophyte infections, 611

GENITAL INFECTIONS:
Genital candidosis, 345
Genital herpes, 355
Genital warts: recent advances, 361
Infections of the genital tract: recent trends, 369

HERPES GESTATIONIS, 201

HYPEREOSINOPHILIC SYNDROME:
Skin lesions as the first manifestation of the hypereosinophilic syndrome, 267

IMMUNOFLUORESCENCE STUDIES:
Cutaneous immunofluorescent studies in bowel by-pass syndrome, 477
Mixed immunofluorescence findings in mixed connective tissue disease, 485

INFLAMMATION OF THE SKIN:
Prostaglandins, hydroxy fatty acids, leukotrienes and inflammation of the skin, 435

JUVENILE ELASTOMA:
Juvenile elastoma and osteopoikilosis (the Buschke–Ollendorf syndrome), 109

KERATOSIS LICHENOIDES CHRONICA:
Keratosis lichenoides chronica is synonymous with lichen planus, 49

KETOCONAZOLE:
The treatment of patients with chronic mucocutaneous candidosis and *Candida* onychomycosis with ketoconazole, 155

LANGERHANS CELLS:
A monoclonal antibody technique to demonstrate an increase in Langerhans cells in cutaneous lesions of mycosis fungoides, 43

LICHENOID DRUG ERUPTION:
A drug eruption due to acebutolol with combined lichenoid and lupus erythematosus features, 219

LICHEN PLANUS:
Serum IgG, IgA, IgM, IgD and IgE in lichen planus: no evidence for a humoral immunodeficiency, 163

LUPUS ERYTHEMATOSUS:
A drug eruption due to acebutolol with combined lichenoid and lupus erythematosus features, 219
Lupus erythematosus gyratus repens, 129
Subacute cutaneous lupus erythematosus (SCLE): a distinct subset of LE, 209

LYMPHOMATOID GRANULOMATOSIS:
Cutaneous lymphomatoid granulomatosis, 449

MELANOMA:
The changing face of melanoma, 231

METHOTREXATE:
Intestinal function and methotrexate absorption in psoriatic patients, 491

MONOCLONAL ANTIBODIES:
A monoclonal antibody technique to demonstrate an increase in Langerhans cells in cutaneous lesions of mycosis fungoides, 43
Decreased levels of T-cells and cells with suppressor T-cell phenotype as defined by specific monoclonal antibodies in patients with atopic dermatitis, 513

MYCOSIS FUNGOIDES:
A monoclonal antibody technique to demonstrate an increase in Langerhans cells in cutaneous lesions of mycosis fungoides, 43
An ultrastructural study of the mononuclear cell infiltrate of mycosis fungoides and poikiloderma atrophicans vasculare, 11
Follicular mucinosis associated with mycosis fungoides presenting with gross cystic changes on the face, 333

NEWS AND NOTICES, 128, 229, 345, 460, 584

OSTEOECTASIA:
Cutaneous manifestations of osteoectasia, 605

PAGETOID RETICULOSIS: 345

PLUMBOSIS CUTIS:
Plumbosis cutis: report of an unusual case defined by electron probe microanalysis, 573

POIKILODERMA ATROPHICANS VASCULARE:
An ultrastructural study of the mononuclear cell infiltrate of mycosis fungoides and poikiloderma atrophicans vasculare, 11

POLYARTERITIS NODOSA:
Polychondritis as a concomitant feature of polyarteritis nodosa, 519

POLYCHONDRITIS:
Polychondritis as a concomitant feature of polyarteritis nodosa, 519

PORPHYRIA CUTANEA TARDA:
Porphyria cutanea tarda and sarcoidosis, 619

POX VIRUS INFECTION:
Pox virus infection in Darier's disease, 261

PSORIASIS:
Abnormalities in the alternative pathway of complement in psoriasis, 387
A double-blind comparison of 0·1% dithranol and 17% urea (Psoradrate cream) and 0·25%-dithranol in vanishing cream (Dithrocream) in the treatment of psoriasis, 625
Intestinal function and methotrexate absorption in psoriatic patients, 491
Razoxane regimen for the treatment of psoriasis, 581

PYODERMA GANGRENOSUM:
Wegener's granulomatosis presenting as pyoderma gangrenosum, 523

RAZOXANE:
Razoxane regimen for the treatment of psoriasis, 581

ROTHMUND–THOMSON SYNDROME:
Rothmund–Thomson syndrome and osteogenic sarcoma, 119

ROUSTABOUTS' AND BARBERS' BREASTS, 445

SARCOIDOSIS:
Porphyria cutanea tarda and sarcoidosis, 619
Sarcoidosis presenting with hypopigmentation, 115

SKIN CANCER:
Accuracy of skin cancer incidence data in the United Kingdom, 255

SKIN OXYGEN TENSION:
Skin oxygen tension and blood flow changes in response to respiratory manoeuvres, 33

SPECIFIC DERMATOSES OF PREGNANCY:
The specific dermatoses of pregnancy: a reappraisal with special emphasis on a proposed simplified clinical classification, 65

STASIS ULCERS:
Outcome of treatment of venous stasis ulcers, 397

SUBEPIDERMAL FIBRIN DEPOSITION:
Localized subepidermal fibrin deposition—a histopathological feature of friction induced cutaneous lesions, 499

SUNSCREENS:
The efficacy of sunscreening agents: protection factors and transmission spectra, 21

TOXIC EPIDERMAL NECROLYSIS:
Carbamazepine ('Tegretol') and toxic epidermal necrolysis: report of three cases with histopathological observations, 585
Intensive therapy unit management of toxic epidermal necrolysis: practical aspects, 55
Toxic epidermal necrolysis, leucopenia and thrombocytopenic purpura—a further complication of Benoxaprofen therapy, 277

TREATMENT OF SKIN TUMOURS:
Current treatment of epitheliomas of the skin, 75
The management of cutaneous malignant melanoma, 99
Topical cytostatic drugs in the treatment of skin cancer, 89
Treatment of skin reticuloses, 93

URTICARIA:
Evaluation of six antihistamines *in vitro* and in patients with urticaria, 529

WEGENER'S GRANULOMATOSIS:
Wegener's granulomatosis, 103
Wegener's granulomatosis presenting as pyoderma gangrenosum, 523

XERODERMA PIGMENTOSUM:
A child with xeroderma pigmentosum and G6PD deficiency, 213

ZINC:
Clinical significance of diurnal variation in the estimation of plasma zinc, 629
Plasma zinc–serum albumin correlation: relevance to assessment of zinc status in humans, 599

AUTHOR INDEX

ADDIS, B.J. and CATTERALL, M.D. Plumbosis cutis: report of an unusual case defined by electron probe microanalysis, 573
AFZELIUS, H. *see* HAMMERSHØY, O. *et al.*, 461
AHMED, A.R. and DRENICK, E. Cutaneous immunofluorescent studies in bowel bypass syndrome, 477
AKIMOTO, T. *see* AOKI, T. *et al.*, 377
AOKI, T., HORIKO, T. and AKIMOTO, T. Generalized cold urticaria. Detection of heat-sensitive passive transfer substance active at moderate temperature, 377
ATHERTON, D.J. and WELLS, R.S. Juvenile elastoma and osteopoikilosis (the Buschke–Ollendorf syndrome), 109

BEADLE, P.C., BULLOCK, D., BEDFORD, G., LEACH, J.F., WEBB, R.A., DENT, N.A. and BURTON, J.L. Accuracy of skin cancer incidence data in the United Kingdom, 255
BEDFORD, G. *see* BEADLE, P.C. *et al.*, 255
BEIGHTON, P. *see* SAXE, N., 605
BELEW, P.W. *see* MARLEY, W.M. *et al.*, 387
BENTON, E.C. *see* HARDIE, R.A. *et al.*, 135
BLACK, M.M. *see* HOLMES, R.C., 65
BLACK, M.M. *see* BREATHNACH, S.M. *et al.*, 401
BLACK, M.M. *see* BREATHNACH, S.M. *et al.*, 585
BLACK, M.M. *see* MEYRICK THOMAS, R.H. *et al.*, 519, 523
BLACK, M.M. *see* WILKINSON, J.D. *et al.*, 333
BLANC, D. and KIENZLER, J.L. Lupus erythematosus gyratus repens, 129
BOWERS, P.W. Roustabouts and barber's breasts, 445

BREATHNACH, S.M. MCGIBBON, D.H., IVE, F.A. and BLACK, M.M. Carbamazepine ('Tegretol') and toxic epidermal necrolysis: report of three cases with histopathological observations, 585
BREATHNACH, S.M., WILKINSON, J.D. and BLACK, M.M. Erythema gyratum repens-like figurate eruption in bullous pemphigoid, 401
BULLOCK, D. *see* BEADLE, P.C. *et al.*, 255
BURTON, J.L. *see* PEACHEY, R.D.G., 625
BURTON, J.L. *see* BEADLE, P.C. *et al.*, 255

CAMP, R. Generalized pruritus and its management, 557
CAMP, R.D.R. Prostaglandins, hydroxy fatty acids, leukotrienes and inflammation of the skin, 435
CARRUTH, J.A.S. and MCKENZIE, A.L. The argon laser in dermatology: safety aspects, 247
CATTERALL, M.D. Infections of the genital tract: recent trends, 369
CATTERALL, M.D. *see* ADDIS, B.J., 573
CHADDOCK, L. *see* HAWK, J.L.M. *et al.*, 21
CHAKRAVARTY, N. *see* HAMMERSHØY, O. *et al.*, 461
CHALLONER, A.V.J. *see* HAWK, J.L.M. *et al.*, 21
CHAMPION, R.H. and HIGHET, A.S. Investigation and management of chronic urticaria and angio-oedema, 291
CHU, A.C., MORGAN, E.W. and MACDONALD, D.M. An ultrastructural study of the mononuclear cell infiltrate of mycosis fungoides and poikiloerma atrophicans vasculare, 11
CHU, A. *see* WILKINSON, J.D. *et al.*, 333
CLAUDY, A.L., GAUDIN, O.G. and GRANOUILLET, R. Pox virus infection in Darier's disease, 261
CLAYTON, Y.M., HAY, R.J., MCGIBBON, D.H. and PYE, R.J. Double blind comparison of the efficacy of tioconazole and miconazole for the treatment of fungal infection on the skin or erythrasma, 543
CLAYTON, Y.M. *see* HAY, R.J., 155
CLAYTON, Y.M. *see* HAY, R.J., 611
CLAYTON, Y.M. *see* WHITE, M.I., 273
COPEMAN, P.W.M. *see* HARPER, J.I., 213
COPEMAN, P.W.M. *see* HARPER, J.I. *et al.*, 581
COUTTS, A. and GREAVES, M.W. Evaluation of six antihistamines *in vitro* and in patients with urticaria, 529
CREAM, J.J. *see* NEILD, V.S. *et al.*, 143
CRONIN, E. The management of allergic contact dermatitis, 281
CUTLER, T.P. Herpes gestationis, 201
CZERNIELEWSKI, J.M. *see* FAURE, M.R. *et al.*, 513

DAWBER, R.P.R. Alopecia and hirsutism, 177
DAWBER, R.P.R. *see* SHEPHERD, J. 321
DENT, N.A. *see* BEADLE, P.C. *et al.*, 255
DICK, D.C., MORLEY, W.N. and WATSON, J.T. Rothmund–Thomson syndrome and osteogenic sarcoma, 119
DRENICK, E. *see* AHMED, A.R., 477
DU VIVIER, A. Topical cytostatic drugs in the treatment of skin cancer, 89

EADY, R.A.J., *see* NEILD, V.S. *et al.*, 143
EDWARDS, J.M. Investigation and management of cutaneous arterial insufficiency of the extremities, 429
ENGLISH, J.S. *see* FENTON, D.A., 277

FAURE, M.R., GAUCHERAND, M.A., THIVOLET, J., CZERNIELEWSKI, J.M. and NICOLAS, J.F. Decreased levels of T-cells and cells with suppressor T-cell phenotype as defined by specific monoclonal antibodies in patients with atopic dermatitis, 513
FENTON, D.A. and ENGLISH, J.S. Toxic epidermal necrolysis, leucopenia and thrombocytopenia purpura—a further complication of Benoxaprofen therapy, 277
FINLAY, A.Y., RICHARDS, J. and HOLT, P.J.A. Intensive therapy unit management of toxic epidermal necrolysis: practical aspects, 55
FRAIN-BELL, W. Management of the photodermatoses, 565
FRY, L. The treatment of dermatitis herpetiformis, 633

GAUCHERAND, M.A. *see* FAURE, *et al.*, 513
GAUDIN, O.G. *see* CLAUDY, A.L. *et al.*, 261
GAYLARDE, P.M. *see* TAN, O.T. *et al.*, 33
GRANOUILLET, R. *see* CLAUDY, A.L. *et al.*, 261
GREAVES, M.W. *see* COUTTS, A., 529
GRICE, K. Treatment of hyperhidrosis, 183
GRIFFITHS, W.A.D. Ichthyosis and dry skin, 551
GUDMAN-HØYER, E. *see* HENDEL, L. *et al.*, 491

HAMMERSHØY, O., CHAKRAVARTY, N. and AFZELIUS, H. Enhancement of delayed hypersensitivity in guinea-pigs to H_2-receptor antagonist, 461
HARDIE, R.A., BENTON, E.C. and HUNTER, J.A.A. Adverse reactions to paste bandages, 135
HARMAN, R.R.M. *see* MANN, R.J., 619

HARPER, J.I. Subacute cutaneous lupus erythematosus (SCLE): a distinct subset of LE, 209
HARPER, J.I. and COPEMAN, P.W.M. A child with xeroderma pigmentosum and G6PD deficiency, 213
HARPER, J.I., COPEMAN, P.W.M. and STAUGHTON, R.C.D. Razoxane regimen for the treatment of psoriasis, 581
HAWK, J.L.M., CHALLONER, A.V.J. and CHADDOCK, L. The efficacy of sunscreening agents: protection factors and transmission spectra, 21
HAWK, J.L.M. *see* NEILD, V.S. *et al.*, 143
HAY, R.J. and CLAYTON, Y.M. The treatment of patients with chronic mucocutaneous candidosis and *Candida* onychomycosis with ketoconazole, 155
HAY, R.J. and CLAYTON, Y.M. Treatment of chronic dermatophyte infections, 611
HAY, R.J. *see* CLAYTON, Y.M. *et al.*, 543
HENDEL, J. *see* HENDEL, L. *et al.*, 491
HENDEL, L., HENDEL, J., JOHNSEN, A. and GUDMAN-HØYER, E. Intestinal function and methotrexate absorption in psoriatic patients, 491
HEYL, T. Tick bite alopecia, 537
HIGHET, A.S. *see* CHAMPION, R.H., 291
HINDSON, C. *see* TAYLOR, A.E.M. *et al.*, 219
HJORTH, N. Skin reactions to balsams and perfumes, 1
HOLDEN, C.A., WELLS, R.S. and MACDONALD, D.M. Cutaneous lymphomatoid granulomatosis, 449
HOLMES, R.C. and BLACK, M.M. The specific dermatoses of pregnancy: a reappraisal with special emphasis on a proposed simplified clinical classification, 65
HOLT, P.J.A. *see* FINLAY, A.Y. *et al.*, 55
HORIKO, T. *see* AOKI, T. *et al.*, 377
HUNTER, J.A.A. *see* HARDIE, R.A. *et al.*, 135

IVE, F.A. *see* KERSEY, P., 49
IVE, F.A. *see* BREATHNACH, S.M. *et al.*, 585

JAMES, M.P. The treatment of urticaria pigmentosa, 311
JOHANSSON, E.A., KANERVA, L., NIEMI, K.-M. and LAKOMAA, E.-L. Generalized argyria with low ceruloplasmin and copper levels in the serum. A case report with clinical and microscopical findings and a trial of penicillamine treatment, 169
JOHNSEN, A. *see* HENDEL, L. *et al.*, 491
JUEL-JENSON, B. Genital herpes, 355

KANERVA, L. *see* JOHANSSON, E.A. *et al.*, 169
KENNEDY, C. and LEAK, A. Eosinophilic fasciitis with erosive arthritis, 469
KERDEL, F.A., MORGAN, E.W. and MACDONALD, D.M. Immunohistochemical demonstration of lysozyme in cutaneous histiocytic infiltrates, 505
KERSEY, P. and IVE, F.A. Keratosis lichenoides chronica is synonymous with lichen planus, 49
KESSELER, M.E. Wegener's granulomatosis, 103
KIENZLER, J.L. *see* BLANC, D., 129
KOBZA-BLACK, A. New approaches in treatment of physical urticarias, 301

LAKOMAA, E.-L. *see* JOHANSSON, E.A. *et al.*, 169
LEACH, J.F. *see* BEADLE, P.C. *et al.*, 255
LEAK, A. *see* KENNEDY, C., 469
LEPPARD, B.J. Familial dyskeratotic comedones, 329
LEVENE, G.M. The treatment of pemphigus and pemphigoid, 643

MACDONALD, D.M. *see* WONG, E., 499
MACDONALD, D.M. *see* CHU, A.C. *et al.*, 11
MACDONALD, D.M. *see* HOLDEN, C.A. *et al.*, 499
MACDONALD, D.M. *see* KERDEL, F.A. *et al.*, 505
MCGIBBON, D.H. *see* BREATHNACH, S.M. *et al.*, 585
MCGIBBON, D.H. *see* CLAYTON, Y.M. *et al.*, 543
MCGIBBON, D.H. *see* MEYRICK THOMAS, R.H. *et al.*, 673
MCKENZIE, A.L. *see* CARRUTH, J.A.S., 247
MACKIE, R.M. A monoclonal antibody technique to demonstrate an increase in Langerhans cells in cutaneous lesions of mycosis fungoides, 43
MACKIE, R.M. The changing face of melanoma, 231
MACKIE, R.M. The management of cutaneous malignant melanoma, 99
MACKIE, R.M. *see* PRENTICE, F.M., 149
MCMILLAN, E.M. and ROWE, D.J.F. Clinical significance of diurnal variation in the estimation of plasma zinc, 629
MCMILLAN, E.M. and ROWE, D.J.F. Plasma zinc–serum albumin correlation: relevance to assessment of zinc status, 599

MANN, R.J. and HARMAN, R.R.M. Porphyria cutanea tarda and sarcoidosis, 619
MARKS, J. Erythroderma and its management, 415
MARLEY, W.M., BELEW, P.W., ROSENBERG, E.W., URMSON, J.R., STITZEL, A.E. and SPITZER, R.E. Abnormalities in the alternative pathway of complement in psoriasis, 387
MARSDEN, R.A. The treatment of benign chronic bullous dermatosis of childhood, and dermatitis herpetiformis and bullous pemphigoid beginning in childhood, 653
MEYRICK THOMAS, R.H., ROWLAND PAYNE, C.M.E. and BLACK, M.M. Polychondritis as a concomitant feature of polyarteritis nodosa, 519
MEYRICK THOMAS, R.H., ROWLAND PAYNE, C.M.E. and BLACK, M.M. Wegener's granulomatosis presenting as pyoderma gangrenosum, 523
MEYRICK THOMAS, R.H., ROWLAND PAYNE, C.M.E. and MCGIBBON, D.H. Cryoglobulinaemia mimicking dermatitis artefacta, 673
MONK, B.E. and SARKANY, I. Outcome of treatment of venous stasis ulcers, 397
MORGAN, E.W. *see* CHU, A.C. *et al.*, 11
MORGAN, E.W. *see* KERDEL, F.A. *et al.*, 505
MORLEY, W.N. *see* DICK, D.C. *et al.*, 119
MOYNAHAN, E.J. The treatment and management of epidermolysis bullosa, 665
MUGGLESTONE, C.J. and RHODES, E.L. The treatment of acne with an anti-androgen oestrogen combination, 593

NEILD, V.S., HAWK, J.L.M., EADY, R.A.J. and CREAM, J.J. Actinic reticuloid with Sézary cells, 143
NICOLAS, J.F. *see* FAURE, M.R. *et al.*, 513
NIEMI, K.-M. *see* JOHANSSON, E.A. *et al.*, 169
NUNZI, E., PARODI, A. and REBORA, A. Mixed immunofluorescence findings in mixed connective tissue disease, 485

ODDS, F.C. Genital candidosis, 345
ORIEL, J.D. Genital warts: recent advances, 361

PARODI, A. *see* NUNZI, E. *et al.*, 485
PEACHEY, R.D.G. and BURTON, J.L. A double blind comparison of 0·1% dithranol and 17% urea (Psoradrate cream) and 0·25%-dithranol in vanishing cream (Dithrocream) in the treatment of psoriasis, 625
PRENTICE, F.M. and MACKIE, R.M. A case of focal dermal hypoplasia, 149
PYE, R.J. Prospects for the treatment of acne vulgaris and rosacea, 195
PYE, R.J. *see* CLAYTON, Y.M. *et al.*, 543

REBORA, A. *see* NUNZI, E. *et al.*, 485
RHODES, E.L. *see* MUGGLESTONE, C.J., 593
RICHARDS, J. *see* FINLAY, A.Y. *et al.*, 55
ROSENBERG, E.W. *see* MARLEY, W.M. *et al.*, 387
ROWE, D.J.F. *see* MCMILLAN, E.M., 599, 629
ROWELL, N.R. The management of lupus erythematosus, scleroderma, lichen sclerosus and dermatomyositis, 407
ROWLAND PAYNE, C.M.E. *see* MEYRICK THOMAS, R.H. *et al.*, 519, 523, 673
RYAN, T.J. The management of the consequences of chronic venous stasis, 423
RYCROFT, R.J.G. Contact sensitization to 2-monomethylol phenol in phenol formaldehyde resin as an example of the recognition and prevention of industrial dermatoses, 285

SAMMAN, P.D. Management of disorders of the nails, 189
SARKANY, I. *see* MONK, B.E., 397
SARKANY, I. *see* TAN, O.T. *et al.*, 33
SAXE, N. and BEIGHTON, P. Cutaneous manifestations of osteoectasia, 605
SCULLY, C. Serum β_2-microglobulin in recurrent aphthous stomatitis and Behçet's syndrome, 61
SCULLY, C. Serum IgG, IgA, IgM, IgD and IgE in lichen planus: no evidence for a humoral immunodeficiency, 163
SHAW, M. Sarcoidosis presenting with hypopigmentation, 115
SHEPHERD, J. and DAWBER, R.P.R. The historical and scientific basis of cryosurgery, 321
SPITTLE, M.F. Treatment of skin reticuloses, 93
SPITZER, R.E. *see* MARLEY, W.M. *et al.*, 387
STAUGHTON, R.C.D. *see* HARPER, J.I. *et al.*, 581
STITZEL, A.E. *see* MARLEY, W.M. *et al.*, 387

TAN, O.T., GAYLARDE, P.M. and SARKANY, I. Skin oxygen tension and blood flow changes in response to respiratory manoeuvres, 33
TAYLOR, A.E.M., HINDSON, C. and WACKS, H. A drug eruption due to acebutolol with combined lichenoid and lupus erythematosus features, 219
THIVOLET, J. *see* FAURE, M.R. *et al.*, 513

URMSON, J.R. *see* MARLEY, W.M. *et al.*, 387

VAN DEN HOOGENBAND, H.M. Skin lesions as the first manifestation of the hypereosinophilic syndrome, 267

WACKS, H. *see* TAYLOR, A.E.M. *et al.*, 219
WATSON, J.T. *see* DICK, D.C. *et al.*, 119
WEBB, R.A. *see* BEADLE, P.C. *et al.*, 255
WELLS, R.S. *see* ATHERTON, D.J., 109
WELLS, R.S. *see* HOLDEN, C.A. *et al.*, 449
WHITE, M.I. and CLAYTON, Y.M. The treatment of fungus and yeast infections of nails by the method of 'chemical removal', 273
WILKINSON, J.D. Current treatment of epitheliomas of the skin, 75
WILKINSON, J.D., BLACK, M.M. and CHU, A. Follicular mucinosis associated with mycosis fungoides presenting with gross cystic changes on the face, 333
WILKINSON, J.D. *see* BREATHNACH, S.M. *et al.*, 401
WONG, E. and MACDONALD, D.M. Localized subepidermal fibrin deposition—a histopathological feature of friction induced cutaneous lesions, 499